

Bibliography for Research in Apalachicola National Forest
12 March 2013

- Anderson, C. J., and B. G. Lockaby. 2011. Forested wetland communities as indicators of tidal influence along the Apalachicola River, Florida, USA. *Wetlands* 31:895-906.
- Anderson, L. C. 1984. Noteworthy plants from north Florida. *Sida* 10: 295-297.
- Anderson, L. C. 1986. Noteworthy plants from north Florida.II. *Sida* 11:379-384.
- Anderson, L. C. 1987. *Boltonia apalachicolensis* (Asteraceae): a new species from Florida. *Systematic Bot.* 12:133-138.
- Anderson, L. C. 1988. Noteworthy plants from north Florida.III. *Sida* 13:93-100.
- Anderson, L. C. 1989. Noteworthy plants from north Florida.IV. *Sida* 13:497-504.
- Anderson, L. C. 1993. "Botanical richness of the western panhandle of Florida." A.S.B. Bull. 40(2):119-120.
- Anderson, L. C. 1995. Noteworthy plants from north Florida. VI. *Sida* 16:581-587.
- Anderson, L. C. 1996. New geographical and morphological data for *Sideroxylon thornei* (Cronq.) T. D. Pennington (Sapotaceae). *Sida* 17:343--348.
- Anderson, L. C. 1997. Unique stomatal patterns among Sideroxylon taxa of the United States. A.S.B. Bull. 44(2):96.
- Anderson, L. C. 2000. Stalking the pygmy bladderwort (*Utricularia olivacea*, Lentibulariaceae). *Carnivorous Plant Newsletter* 29:73-74.
- Anderson, L. C. 2000. Noteworthy plants from north Florida. VII. *Sida* 19:211-216.
- Anderson, L.C. 2000. Plant inventory and community analysis in support of Tate's Hell Swamp restoration. Northwest Florida Water Management District, 24 pp.
[included plant surveys in compartment 110 of ANF].
- Anderson, L. C. 2006. The genus Arnoglossum (Asteraceae). In *Flora of North America* 20:622-625.
- Anderson, L. C. 2007. Noteworthy plants from north Florida. VIII. *J. Bot. Res. Inst. Texas* 1: 741 – 751.
- Anderson, L. C., and G. Smith. 1994. "Carpels and chromosomes of the endangered Harper's Beauty (*Harperocallis flava*, Liliaceae)." A.S.B. Bull. 41(2):103.

- Alford, J.D. and L. C. Anderson. 2002. The taxonomy and morphology of *Macranthera flammea* (Orobanchaceae). *Sida* 20:189-204.
- Baiser, B., N. J. Gotelli, H. L. Buckley, T. E. Miller, and A. M. Ellison. 2011. Network structure in a cosmopolitan food web. *Global Ecology and Biogeography*. DOI: 10.1111/j.1466-8238.2011.00705.x
- Beyer, D. E., R. Costa, R. G. Hooper, and C. A. Hess. 1996. Habitat quality and reproduction of red-cockaded woodpecker groups in Florida. *Journal of Wildlife Management* 60:826-835.
- Bishop, D.C. and C.A. Haas. 2005. Burning trends and potential negative effects of suppressing wetland fires on flatwoods salamander. *Natural Areas Journal* 25:290-294.
- Bishop, D.C., J. G. Palis, K. M. Enge, D. J. Printiss, and D. J. Stevenson. 2006. Capture rate, body size, and survey recommendations for larval *Ambystoma cingulatum* (Flatwoods salamanders). *Southeastern Naturalist* 5:9-16.
- Buckley, H.L., J.H. Burns, J. M. Kneitel, E.L. Walters, P. Munguia, and T.E. Miller. 2004. Small-scale patterns in community structure of *Sarracenia purpurea* inquiline communities. *Community Ecology* 5:181-188.
- Buckley, H. L., T. E. Miller, A. M. Ellison, and N. J. Gotelli. 2003. Reverse latitudinal trends in species richness of pitcher-plant food webs. *Ecology Letters* 6:825-829.
- Buckley, H., T. E. Miller, A. M. Ellison, and N. J. Gotelli. 2010. Local to continental-scale variation in the richness and composition of an aquatic food web. *Journal of Global Ecology and Biogeography* 19:711-723.
- Callaham, M. A., and P. E. Hendrix. 1998. Impact of earthworms (Diplocardia : Megascolecidae) on cycling and uptake of nitrogen in coastal plain forest soils from northwest Florida, USA. *Applied Soil Ecology* 9:233-239.
- Catania, K. C. 2008. Worm grunting, fiddling, and charming-humans unknowingly mimic a predator to harvest bait. *Plos One* 3.
- Cerquera, L.M. and W.R. Tschinkel. 2009. The nest architecture of *Odontomachus brunneus*. *J. Insect Sci.* 10:64. online at www.insectscience.org/10.64/
- Coulter, C. L. 1977. Soils of Apalachicola National Forest wetlands. 1. Titi swamps and savannahs. *Soil and Crop Science Society of Florida Proceedings* 36:72-77.
- _____. 1978. Soils of Apalachicola National Forest wetlands. 2. Cypress and gum swamps. *Soil and Crop Science Society of Florida Proceedings* 37:154-159.

- Deyrup, M., and S. Cover. 2004. A new species of the ant genus *Leptothorax* from Florida, with a key to the *Leptothorax* of the southeast (Hymenoptera : Formicidae). Florida Entomologist 87:51-59.
- Deyrup, M., and D. Lubertazzi. 2001. New species of ant (Hymenoptera : Formicidae) from North Florida. Entomological News 112:15-21.
- Ellison, A. M., H. L. Buckley, T. E. Miller, and N. J. Gotelli. 2004. Morphological variation in *Sarracenia purpurea* (Sarraceniaceae): geographic, environmental, and taxonomic correlates. American Journal of Botany 91:1930-1935.
- Engstrom, R.T., and G. Mikusinski. 1998. Neighborhood size in populations of the Red-cockaded Woodpecker. Auk 115:473-478.
- Engstrom, R.T., L.A. Brennan, W.L. Neel, R.M. Farrar, S.T. Lindeman, W.K. Moser, and S.M. Hermann. 1996a. Silvicultural practices and Red-cockaded Woodpecker management: a reply to Rudolph and Conner. Wildlife Soc. Bull. 24(2):334-338.
- Engstrom, R. T. M., D.B.; Brennan, L.A.; Hardy, C.L.; Burger, L.W. 1996. Influence of dormant versus lightning season prescribed fire on birds in longleaf pine forests: experimental design and preliminary results. Transactions 61st North American Wildlife and Natural Resources Conference (1996):200-207.
- Foster, G. W., J. M. Kinsella, E. L. Walters, M. S. Schrader, and D. J. Forrester. 2002. Parasitic helminths of red-bellied woodpeckers (*Melanerpes carolinus*) from the Apalachicola National Forest in Florida. Journal of Parasitology 88:1140-1142.
- Gagnon, J. L., E. J. Jokela, W. K. Moser, and D. A. Huber. 2004. Characteristics of gaps and natural regeneration in mature longleaf pine flatwoods ecosystems. Forest Ecology and Management 187:373-380.
- Gray, S., T. E. Miller, N. Mouquet, and T. Daufresne. 2006. Nutrient limitation in detritus-based microcosms. Hydrobiologia 573:173-181.
- Hahn, D. A., and W. R. Tschinkel. 1997. Settlement and distribution of colony-founding queens of the arboreal ant, *Crematogaster ashmeadi*, in a longleaf pine forest. Insectes Sociaux 44:323-336.
- Harvey, E. and T. E. Miller. 1996. Variance in composition in inquiline communities in leaves of *Sarracenia purpurea* L. on multiple spatial scales. Oecologia 108:562-566.
- Hendrix, P. F., M. A. Callaham, S. L. Lachnicht, J. M. Blair, S. W. James, and X. Zou. 1999. Stable isotopic studies of resource utilization by nearctic earthworms (Diplocardia, Oligochaeta) in subtropical savanna and forest ecosystems. Pedobiologia 43:818-823.

- Hess, C.A. 1997. Stomach-flushing: sampling the diet of red-cockaded woodpeckers. *Wilson Bulletin* 109:535.
- Hess, C. A., and F. C. James. 1998. Diet of the red-cockaded woodpecker in the Apalachicola National Forest. *Journal of Wildlife Management* 62:509-517.
- Hess, C.A., P.P. Kelly, R. Costa, and J.H. Carter, III. 2001. Reconsideration of Richardson et al.'s Red-Cockaded Woodpecker nestling removal technique. *Wildlife Society Bulletin* 29:372-374.
- Hoekman, D., A. Bauer, S. Braun, P. Gignac, R. Hopkins, S. Joshi, K. Laskis, N. Sanscrainte, C. terHorst, J. Travis, and T. E. Miller. 2007. Oviposition decreased in response to enriched water: a field study of the pitcher-plant mosquito, *Wyeomyia smithii*. *Ecological Entomology* 32:92-96.
- Hood, W. G., and W. R. Tschinkel. 1990. Desiccation resistance in arboreal and terrestrial ants. *Physiol. Entomol.* 15:23-35.
- Hovis, J.A., and R.F. Labisky. 1985. Vegetative associations of Red-cockaded Woodpecker colonies in Florida. *Wildlife Society Bulletin* 13:307-314.
- James, F. C. 1991. Signs of trouble in the largest remaining population of Red-cockaded Woodpeckers. *Auk* 108:419-423.
- James, F. C. 1995. Status of the red-cockaded woodpecker and its habitat. Pp. 437-438 in D. Kulhavy, R. G. Cooper, and R. Costa (eds.) *Red-cockaded woodpecker: recovery, ecology, and management*, Stephen F. Austin State University, Nacogdoches, Texas.
- James, F. C. 1995. Status of the Red-cockaded Woodpecker in 1990 and prospect for recovery. Pages 439-451 in D. Kulhavy, R. G. Hooper, and R. Costa (eds.), *Red cockaded Woodpecker: Recovery, Ecology, and Management*. Stephen F. Austin State University, Nacogdoches, Texas.
- James, F. C., C. A. Hess, B. C. Kicklighter, and R. A. Thum. 2001a. Ecosystem management and the niche gestalt of the Red-cockaded Woodpecker in longleaf pine forests. *Ecological Applications* 11:854-870.
- _____. 2001b. Ecosystem management and the niche gestalt of the Red-cockaded Woodpecker in longleaf pine forests. *Ecological Applications* 11:854-870.
- _____. 2001c. Ecosystem management and the niche gestalt of the red-cockaded woodpecker in longleaf pine forests. *Ecological Applications* 11:854-870.
- James, F. C., C. A. Hess, and D. Kufrin. 1997a. Species-centered environmental analysis:

Indirect effects of fire history on red-cockaded woodpeckers. Ecological Applications 7:118-129.

_____. 1997b. Species-centered environmental analysis: Indirect effects of fire history on red-cockaded woodpeckers. Ecological Applications 7:118-129.

James, F. C., C. E. McCulloch, and D. A. Wiedenfeld. 1996. New approaches to the analysis of population trends in land birds. Ecology 77:13-27.

James, F. C., C. Hess, G. Hagan, and M. B. Kotrla. 1995. Population structure and annual turnover rates of cavities of the Red cockaded Woodpecker in the Apalachicola National Forest. Pages 353-360 in D. Kulhavy, R. G. Hooper, and R. Costa (eds.), Red cockaded Woodpecker: Recovery, Ecology, and Management. Stephen F. Austin State University, Nacogdoches, Texas.

James, F.C., P.M. Richards, C.A. Hess, K.E. McCluney, E.L. Walters, and M.S. Schrader. 2004. Sustainable forestry for the red-cockaded woodpecker's ecosystem. Pp 60-69 in R. Costa and S.J. Daniels (editors) Red-cockaded woodpecker; road to recovery. Hancock House Publishers Ltd., Blaine, Washington, USA

Johnson, C. Y., J. M. Bowker, D. B. K. English, and D. Worthen. 1998. Wildland recreation in the rural south: An examination of marginality and ethnicity theory. Journal of Leisure Research 30:101-120.

Jones, KC, P Hill, TA Gorman, and CA Haas. 2012. Climbing behavior of flatwoods salamanders (*Ambystoma bishopi/A. cingulatum*). Southeastern Naturalist 11:537-542.

Kesler, H. C., J. L. Trusty, S. M. Hermann, and C. Guyer. 2008. Demographic responses of *Pinguicula ionantha* to prescribed fire: a regression-design LTRE approach. Oecologia 156:545-557.

King, J.R. and W.R. Tschinkel. 2006. Experimental evidence that the introduced fire ant, *Solenopsis invicta*, does not competitively suppress co-occurring ants in a disturbed habitat, J. Animal Ecol. 75:1370–1378.

King, J.R. and W. R. Tschinkel. 2008. Experimental evidence that human impacts drive fire ant invasions and ecological change. PNAS 105:20339-20343.

King, J.R., W. R. Tschinkel and K.G. Ross. 2009. A case study of human exacerbation of the invasive species problem: transport and establishment of polygyne fire ants in Tallahassee, Florida, USA. Biol. Invasions 11:373-377.

Kneitel, J. M. and T. E. Miller. 2002. The effects of resource and top-predator addition to the inquiline community of the pitcher plant *Sarracenia purpurea*. Ecology 83:680-688.

- Kneitel, J. M. and T. E. Miller. 2003. Dispersal rates affect species composition in metacommunities of *Sarracenia purpurea* inquilines. American Naturalist 162:165-171.
- Lachnicht, S. L., and P. F. Hendrix. 2001. Interaction of the earthworm *Diplocardia mississippiensis* (Megascolecidae) with microbial and nutrient dynamics in a subtropical Spodosol. Soil Biology and Biochemistry 33:1411-1417.
- Laskis, K.O. and W. R. Tschinkel. 2009. The Seasonal Natural History of the Ant, *Dolichoderus mariae* (Hymenoptera: Formicidae) In Northern Florida, J. Insect Sci. Online at <http://www.insectscience.org/9.02/>
- Lubertazzi, D. and W.R. Tschinkel. 2003. Ant community change across a ground vegetation gradient in north Florida's longleaf pine flatwoods. J. Insect Science 3:21.
- McConnell, W. V. 1999. Red-cockaded woodpecker cavity excavation in seedtree-shelterwood stands in the Wakulla (Apalachicola National Forest, Florida) sub-population. Wildlife Society Bulletin 27:509-513.
- _____. 2002. Initiating uneven-aged management in longleaf pine stands: impacts on red-cockaded woodpecker habitat. Wildlife Society Bulletin 30:1276-1280.
- McInnes, D. A., and W. R. Tschinkel. 1996. Mermithid nematode parasitism of *Solenopsis* ants (Hymenoptera: Formicidae) of Northern Florida. Annals of the Entomological Society of America 89:231-237.
- McInnes, D.A. and W.R. Tschinkel. 1996. Mermithid nematode parasitism of *Solenopsis* ants (Hymenoptera: Formicidae) of northern Florida. Ann. Entomol. Soc. Amer. 89:231-237.
- McNair, D.B. 1998. Henslow's Sparrow and Sedge Wren response to a dormant-season prscribed burn in a pine savanna. Florida Field Naturalist 26(2):46-47.
- Mikheyev, A. and W. R. Tschinkel. 2004. Nest architecture of the ant *Formica pallidefulva*: structure, costs and rules of excavation. Insectes Sociaux 51:30-36.
- Miller, T. E., and J. M. Kneitel. 2005. Inquiline communities in pitcher plants as a prototypical metacommunity. Pp. 122-145 in Holyoak, M., M. A. Leibold, and R. D. Holt (eds.), Metacommunities: Spatial Dynamics and Ecological Communities. University of Chicago Press, Chicago.
- Miller, T., J. M. Kneitel, and J. H. Burns. 2002. Effects of community structure on invasion success and rate. Ecology 83:898-90.
- Miller, T. E., and C. P. terHorst. 2012. Succession in the water-filled leaves of the purple pitcher plant (*Sarracenia purpurea*). Oecologia 170:243-251.

- Miller, T. E., L. Horth, and R. Reeves. 2002. Trophic interactions in the phytotelmata communities of the pitcher plant, *Sarracenia purpurea*. *Community Ecology* 3: 109-116.
- Means, D.B., J.G. Palis, and M. Baggett. 1996. Effects of slash pine silviculture on a Florida population of flatwoods salamander. *Conservation Biology* 10:426-437.
- Palis, J.G. 1996. Flatwoods salamander (*Ambystoma cingulatum* Cope). *Natural Areas Journal* 16:49-54.
- Palis, J.G. 1997. Distribution, habitat, and status of the flatwoods salamander (*Ambystoma cingulatum*) in Florida, USA. *Herpetological Natural History* 5:53-65.
- Palis, J.G., M.J. Aresco, and S. Kilpatrick. 2006. Breeding biology of a Florida population of *Ambystoma cingulatum* (Flatwoods salamander) during a drought. *Southeastern Naturalist* 5:1-8.
- Palis, JG and MJ Aresco. 2007. Immigration orientation and migration distance of four pond-breeding amphibians in northwestern Florida. *Florida Scientist* 70:251-263.
- Pauly, G.B., O Piskurek, H.B. Shaffer. 2006. Phylogeographic concordance in the southeastern United States: the flatwoods salamander, *Ambystoma cingulatum*, as a test case. *Molecular Ecology* 16:415-429
- Pauly, G. B., S. H. Bennett, J. G. Palis, and H. B. Shaffer. 2012. Conservation and genetics of the frosted flatwoods salamander (*Ambystoma cingulatum*) on the Atlantic coastal plain. *Conservation Genetics* 13:1-7.
- Picotte, J.J., and K. Robertson. 2011a. Timing constraints on remote sensing of wildland fire burned area in the southeastern U.S. *Remote Sensing* 3:1680-1690.
- Picotte, J.J., and K.M. Robertson. 2011b. Validation of remote sensing of burn severity in southeastern US ecosystems. *International Journal of Wildland Fire* 20:453-464.
- Pitts-Singer, T. L., J. L. Hanula, and J. L. Walker. 2002. Insect pollinators of three rare plants in a Florida longleaf pine forest. *Florida Entomologist* 85:308-316.
- Powell, S. and W. R. Tschinkel. 1999. Ritualized conflict in *Odontomachus brunneus* and the generation of interaction-based task allocation: a new organizational mechanism in ants. *Anim. Behaviour* 58:975-972.
- Rasmussen, A. K., S. C. Harris, and D. R. Denson. 2008. Two new species of Leptoceridae (Trichoptera) from Florida, USA. *Zootaxa*:55-64.

- Repenning, R., and R.F. Labisky. 1985. Effects of even-age timber management on bird communities of the longleaf pine forest in northern Florida. *J. Wildl. Manage.* 49:1088-1098.
- Rink W. J., Dunbar, J.S., Tschinkel W.R., Kwapich C., Repp A., Stanton W. and Thulman, D.K. (in press). Subterranean transport and deposition of quartz by ants in sandy sites relevant to age overestimation in optical luminescence dating. *Archeol. Sci.* (in press).
- Ross, W. G., D. L. Kulhavy, and R. N. Conner. 1997. Stand conditions and tree characteristics affect quality of longleaf pine for red-cockaded woodpecker cavity trees. *Forest Ecology and Management* 91:145-154.
- Schrader, M. S., E. L. Walters, F. C. James, and E. C. Greiner. 2003. Seasonal prevalence of a haematozoan parasite of red-bellied woodpeckers (*Melanerpes carolinus*) and its association with host condition and overwinter survival. *Auk* 120:130-137.
- Schrey, N. M., A. W. Schrey, E. J. Heist, and J. D. Reeve. 2011. Genetic heterogeneity in a cyclical forest pest, the southern pine beetle, *Dendroctonus frontalis*, is differentiated into east and west groups in the southeastern United States. *Journal of Insect Science* 11.
- Seal, J. N., and W. R. Tschinkel. 2006. Colony productivity of the fungus-gardening ant *Trachymyrmex septentrionalis* (Hymenoptera : Formicidae) in a Florida pine forest. *Annals of the Entomological Society of America* 99:673-682.
- Seal, J.N. and W.R. Tschinkel. 2007. Energetics of newly mated queens and colony founding in the fungus-gardening ants *Cyphomyrmex rimosus* and *Trachymyrmex septentrionalis* (Hymenoptera: Formicidae). *Physiological Entomology*, 32: 8-15.
- Seal, J.N. and W.R. Tschinkel. 2007. Complexity in an obligate mutualism: Do fungus-gardening ants know what makes their garden grow? *Behav. Ecol. Sociobiol.* 61:1151–1160.
- Seal, J.N. and Tschinkel, W.R. 2007. Co-evolution and the superorganism: switching cultivars does not alter the performance of fungus-gardening ant colonies. *Functional Ecology*, 21, 988-997.
- Seal, J.N. and W. R. Tschinkel. 2008. Food limitation in the fungus gardening ant, *Trachymyrmex septentrionalis*. *Ecol. Entomol.* 33:597-607.
- Seal, J.N. and W.R. Tschinkel. 2010. Distribution of the fungus-gardening ant (*Trachymyrmex septentrionalis*) during and after a record drought. *Insect Conservation and Diversity* 3:134-142.
- Sekerak, C.M., G.W. Tanner, J.G. Palis. 1996. Ecology of flatwoods salamander larvae in breeding ponds in Apalachicola National Forest. *Proceedings of the Annual Conference*

of Southeastern Fish & Wildlife Agencies 50:321-330.

Smith, E.A., and H.J. Cooper. 1996. Pilot study using SPOT satellite imagery over Apalachicola national forest to determine appropriate spatial scale for area-wide aggregation of surface fluxes. *Meteorology and Atmospheric Physics* 58:179-192.

Smith C.R. and W.R. Tschinkel. 2005. Object depots in the genus *Pogonomyrmex*: Exploring the “who”, what, when, and where. *J. Insect Behav.* 18:859-879.

Smith C. R. and W. R. Tschinkel. 2007. The adaptive nature of non-food collection for the Florida harvester ant, *Pogonomyrmex badius*. *Ecological Entomology* 32:105-112.

Smith C.R. and W.R. Tschinkel. 2006. The sociometry and sociogenesis of reproduction in the Florida harvester ant (*Pogonomyrmex badius*) *J. Insect Sci.* 6: 32.
<http://www.insectscience.org/6.32/>

Smith, G. L., and M. A. Garland. 2009. A New Species of Hymenocallis (Amaryllidaceae) from the Apalachicola Forest of the Florida Panhandle, USA. *Novon* 19:234-238.

Spears, T. 2004. Comparisons of population genetic structure for three large brachiopods co-occurring in ephemeral pools in the Lake Munson Sandhills Region of the Apalachicola National Forest. *Integrative and Comparative Biology* 44:643-643.

Tschinkel, W. R. 1987. Seasonal life history and nest architecture of a cold-loving ant, *Prenolepis imparis*. *Insectes Soc.* 34:143-164.

Tschinkel, W. R. 1988. Distribution of the fire ants *Solenopsis invicta* and *S. geminata* in north Florida in relation to habitat and disturbance. *Ann. Entomol. Soc. Amer.* 81:76-81.

Tschinkel, W.R. 1998. Sociometry and sociogenesis of colonies of the harvester ant, *Pogonomyrmex badius*: worker characteristics in relation to colony size and season. *Ins. Soc.* 45:385-410.

Tschinkel, W.R. 1998. Sociometry and sociogenesis of colonies of the harvester ant, *Pogonomyrmex badius*, in relation to colony size and season: distribution of workers and seeds in the nest. *Insectes Sociaux*. 45:385-410.

Tschinkel, W.R. 1999. The arboreal ant community of a north Florida pine forest, with emphasis on *Crematogaster ashmeadi*. *Ann. Entomol. Soc. Amer.* 92:63-70.

Tschinkel, W.R. 1999. Sociometry and sociogenesis of colony-level attributes of the Florida harvester ant (Hymenoptera: Formicidae). *Ann. Entom. Soc. Amer.* 92:80-89.

Tschinkel, W.R. 2002. The natural history of the arboreal ant, *Crematogaster ashmeadi* (Hymenoptera: Formicidae). *J. Insect Sci.* 2:12.

- Tschinkel, W.R. 2003. Subterranean ant nest architecture: trace fossils past and future? *Paleogeogr. Paleoclim. Paleoecol.* 192:321-333.
- Tschinkel, W.R. 2004. The nest architecture of the Florida harvester ant, *Pogonomyrmex badius*. *J. Insect Science* 4:21. <http://www.insectscience.org/4.21/>
- Tschinkel, W.R. 2004. Ant nest architecture. *In Encyclopedia of Animal Behavior*, M. Bekoff, ed.
- Tschinkel, W.R. 2005. The nest architecture of the ant, *Camponotus socius*. *J. Insect Science* 5:9. (available online at <http://insectscience.org/5.9/>).
- Tschinkel, W. R. Methods for casting subterranean ant nests. 2010. *J. Insect Sci.* 10:88. online at: www.insectscience.org/10.88/
- Tschinkel, W. R. and A. Bhatkar. 1974. Oriented mound-building in the ant, *Trachymyrmex septentrionalis*. *Environ. Entomol.* 3: 667-673.
- Tschinkel, W. R., and C. A. Hess. 1999. Arboreal ant community of a pine forest in northern Florida. *Annals of the Entomological Society of America* 92:63-70.
- Tschinkel, W.R. and J.R. King. 2007. Targeted removal of ant colonies in ecological experiments, using hot water. *Journal of Insect Science* 7, 41. online at <http://www.insectscience.org/7.41/>
- Tschinkel, W.R. T. Murdock, J. R. King and C. Kwapich. 2012. Ant distribution in relation to ground water in north Florida pine flatwoods. *J. Insect Sci.* 12:114. Available online at <http://www.insectscience.org/12.114/>.
- Tschinkel, W.R. 2011. The nest architecture of three species of *Aphaenogaster* in north Florida. *J. Insect Sci.* 11:105. Online at <http://www.insectscience.org/11.105/> .
- Utech, F., and L. C. Anderson. 2002. The genus *Harperocallis* (Liliaceae). *In Flora of North America* 26:58.
- Walker, J. L., and A. M. Silletti. 2005. A three-year demographic study of Harper's Beauty (*Harperocallis flava* McDaniel), an endangered Florida endemic. *Journal of the Torrey Botanical Society* 132:551-560.
- Whiles, M. R., J. B. Jensen, J. G. Palis, and W. G. Dyer. 2004. Diets of larval Flatwoods Salamanders, *Ambystoma cingulatum*, from Florida and South Carolina. *Journal of Herpetology* 38:208-214.

Theses/Dissertations

- Gagnon, J.L. 2001. Longleaf pine regeneration dynamics in both artificial and natural gaps in mature longleaf pine ecosystems. M.S. Thesis, Univ. Florida, Gainesville. 101 pp.
- Hess, C.A. 1997. Diet of the Red-cockaded woodpecker in the Apalachicola National Forest. M.S. Thesis, Florida State University, Tallahassee, 56 pp.
- Hovis, J.A. 1982. Population biology and vegetative requirements of the red-cockaded woodpecker (*Picoides borealis*) in Apalachicola National Forest, Florida. M.S. Thesis, Univ. Florida, Gainesville. 56 pp.
- Kappes, J.J. 1993. Interspecific interactions associated with red-cockaded woodpecker cavities at a north Florida site. M.S. Thesis, Univ. Florida, Gainesville. 71 pp.
- Repenning, R.W. 1983. Effects of even-age timber management on bird communities of the longleaf pine forest in north Florida. M.S. Thesis, Univ. Florida, Gainesville. 41 pp.
- Sekerak, C.M. 1994. Vegetation and aquatic vertebrate and macroinvertebrate assemblages in flatwoods salamander breeding ponds in the Apalachicola National Forest. M.S. Thesis, Univ. Florida, Gainesville. 74 pp.
- Walters, E.L. 2004. Estimating species interactions in a woodpecker tree-hole community at the individual, population, and community levels. Ph.D. dissertation. Florida State University, Tallahassee.

Popular Articles

- Palis, J.G. 1991. Delicate balance: Harper's beauty. *Florida Wildlife* 45(6):9.
- Palis, J.G. 1991. Flatwoods salamander. *Florida Wildlife* 47(5):13-15.
- Palis, J.G. 1995. Cypress domes. *Florida Wildlife* 49(6):12-14.